

Material Safety Data Sheet

Product Code: 2002SO10634
Product Identifier: OCEAN Mixture of fragrance materials
Revision Date: 12/8/2012 Version: 2

1. Chemical Product and Company Identification

Product Code: 2002SO10634
Product Name: OCEAN
CAS Registry Number: mixture



Hazard Overview

HMIS

Health: 1 = Slight Hazard
Flammability: 1 = Slight Hazard
Reactivity: 0 = Minimal Hazard
Personal Protection: Safety glasses, gloves

NFPA

Health: 1 = Slight Hazard
Flammability: 1 = Slight Hazard
Reactivity: 0 = Minimal Hazard
Special Risk: NONE

OSHA

Flammability: Combustible liquid - Class IIIB

2. Composition, Information on Ingredients

Hazardous components as defined in the OSHA Hazard Communication Standard: components with a HEALTH hazard (carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins, neurotoxins, etc.) and/or a PHYSICAL hazard (a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric, unstable (reactive) or water-reactive, etc.)

Chemical or Common Name	CAS Number	% by weight(approx)	OSHA PEL long term	ACGIH TWA	ACGIH STEL
CITRAL	5392-40-5	0.01-0.1			5 ppm
GERANYL ACETATE	105-87-3	0.1-1			
BENZYL ACETATE	140-11-4	0.1-1			10 ppm
D-LIMONENE	5989-27-5	0.1-1			
BHT ; BUTYLATED HYDROXYTOLUENE	128-37-0	1-5			2 mgm3

3. Hazards Identification

This product is a mixture for which no health data exist. The hazard communication standard requires that such mixtures be assumed to present the same health hazards as do components that constitute at least 1% of the mixture (0.1% for carcinogenic and highly toxic mixture) although OSHA has noted that the hazards of individual components may be altered by including them in a mixture. The ingredients of this mixture are trade secrets.

4. First Aid Measures

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin Contact:

Flush with large amounts of water. Use soap if available. Remove severely contaminated clothing (including shoes) and wash before reuse. If irritation persists, seek medical attention.

Ingestion:

If swallowed, seek medical attention.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. Get immediate medical attention.

5. Fire Fighting Measures

Flash Point:

> 93°C / 200°F

Equipment:

Fire fighters should wear normal protective equipment (full bunker gear) and positive-pressure self-contained breathing apparatus.

Extinguishing Media:

All purpose dry chemical, foam, or carbon dioxide. Do not use water.

6. Accidental Release Measures

Spill and Leak Procedure:

Contain spilled liquid with sand or dirt. DO NOT use combustible materials such as sawdust. Avoid runoff into storm sewers and ditches, which lead to waterways. Absorb spill with dry sand or dirt and place in a chemical waste container. Contact authorities if required.

7. Handling and Storage

Handling:

Keep container closed. Loosen closure cautiously before opening. Store in a cool, well-ventilated place away from incompatible materials. (See Stability and Reactivity Section 10). Keep away from heat, sparks and flame. Protect material from direct sunlight. Grounding and bonding procedures should be used when transferring materials. Empty containers may retain hazardous properties. Follow all MSDS/label warnings even after container is emptied. Keep away from oxidizing materials.

Storage:

Store in a tightly closed container in a cool, dry, well-ventilated area, Away from heat sources.

8. Exposure Control, Personal Protection

Eye and Face Protection:

Use chemical goggles. If vapor exposure causes eye discomfort, use a full-face, supplied-air respirator.

Skin Protection:

For brief contact, no precautions other than clean body-covering clothing should be needed. When prolonged or frequently repeated contact could occur, use protective clothing such as butyl rubber, impervious to this material. Use chemical resistant gloves.

Respiratory protection:

Atmospheric levels should be maintained below the exposure guideline. When respiratory protection is required for certain operations, use an approved air-purifying respirator. For emergency and other conditions where the exposure guideline may be greatly exceeded, use an approved positive pressure self-contained breathing apparatus. In confined or poorly ventilated areas, use an approved positive pressure self-contained breathing apparatus.

Exposure Limit(s):

List of components contained in the formula with an OEL value

Component	OEL Type	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Notes
CITRAL	ACGIH				5		
BENZYL ACETATE	ACGIH				10		
BHT ; BUTYLATED HYDROXYTOLUENE	ACGIH		2				

9. Physical and Chemical Properties

Appearance: data not available

Color: data not available

Boiling Point: N.A.

Refractive Index: = 1.4671

Water Solubility: data not available

Oil Solubility: data not available

Density: data not available

Melting Point: N.A.

Flash Point: > 93°C / 200°F

Odor: data not available

10. Stability and Reactivity

Stability:

Stable.

Conditions to Avoid:

Strong oxidizing agents.

Incompatibility:

Date 12/8/2012

Page n. 2 of 6

None.

Decomposition:

Will not occur.

Polymerization:

Will not occur.

11. Toxicological Information

Toxicological Information of the Preparation

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

BENZYL SALICYLATE	LD50 Oral Rat = 2227mg/kg LD50 Skin Rabbit = 14150mg/kg
LINALYL ACETATE	LD50 Oral Rat = 13934mg/kg
HEXYL CINNAMIC ALDEHYDE	LD50 Oral Rat = 2450mg/kg LD50 Skin Rabbit > 3000mg/kg
DIHYDROMYRCENOL	LD50 Oral Rat = 3600mg/kg LD50 Skin Rabbit > 5g/kg
LINALOOL	LC50 Inhalation Mouse = 3.2mg/l 1h LD50 Oral Rat = 2790mg/kg LD50 Skin Rat = 5610mg/kg
BHT ; BUTYLATED HYDROXYTOLUENE	LD50 Oral Rat = 890mg/kg
6-ACETYL-1,1,2,4,4, 7-HEXAMETHYLTETRALINE	LD50 Oral Rat = 570mg/kg LD50 Skin Rabbit > 5g/kg LD50 Skin Rat = 7940mg/kg
PHENYL ETHYL ALCOHOL	LC50 Inhalation Rat > 1.38mg/l 4h LD50 Oral Rat = 1790mg/kg LD50 Skin Rabbit = 790MCLKG
D-LIMONENE	LD50 Oral Rat = 4400mg/kg LD50 Skin Rabbit > 2000mg/kg
CYCLAMEN ALDEHYDE ; 2-METHYL-3-(P- ISOPROPYLPHENYL) PROPIONALDEHYDE	LD50 Oral Rat = 3810mg/kg LD50 Skin Rat > 5g/kg
GERANYL ACETATE	LD50 Oral Rat = 6330mg/kg
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	LD50 Oral Rat = 3250MCLKG LD50 Skin Rabbit = 11300MCLKG
BUTYL PHENYL METHYL PROPIONAL	LD50 Oral Rat > 1000mg/kg

	LD50 Skin Rat > 2000mg/kg
CIS-3-HEXENYL SALICYLATE	LD50 Oral Rat = 5g/kg LD50 Skin Rabbit > 5g/kg
GERANIOL	LD50 Oral Rat = 3600mg/kg LD50 Skin Rabbit > 5000mg/kg
HYDROXYCITRONELLAL	LD50 Oral Rat > 5g/kg
CITRAL	LD50 Oral Rat = 4950mg/kg LD50 Skin Rabbit = 2250mg/kg LD50 Skin Rat > 2000mg/kg

In case they have not been specified above, the following Information should be considered as Not Available.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

12. Ecological Information

List of Eco-Toxicological properties of the components

Quantity	Component	Ident. Numb.	Ecotox Data
> 30 %	DIPROPYLENE GLYCOL	CAS: 110-98-5 - EINECS: 203-821-4	LC50 Fish Carassius auratus 5000mg/l 24 Hr static
1-5 %	LINALOOL	CAS: 78-70-6 - EINECS: 201-134-4	EC50 Daphnia Daphnia magna 20mg/l 48 Hr EC50 Alga Desmodesmus subspicatus 88.3mg/l 96 Hr LC50 Fish Leuciscus idus 22mg/l 96 Hr static 22-46
1-5 %	BHT ; BUTYLATED HYDROXYTOLUENE	CAS: 128-37-0 - EINECS: 204-881-4	EC50 Alga Pseudokirchneriella subcapitata 6mg/l 72H EC50 Alga Desmodesmus subspicatus 0.42mg/l 72H LC50 Fish Oryzias latipes 5mg/l 48 Hr
1-5 %	PHENYL ETHYL ALCOHOL	CAS: 60-12-8 - EINECS: 200-456-2	EC50 Daphnia Daphnia magna 287.17mg/l 48 Hr EC50 Alga Desmodesmus subspicatus 490mg/l 72H LC50 Fish Leuciscus idus 220mg/l 96 Hr static 220-460
0.1-1 %	D-LIMONENE	CAS: 5989-27-5 - EINECS: 227-813-5 - 67-548-EC: 601-029-00-7	LC50 Fish Pimephales promelas 0.619mg/l 96 Hr flow-through 0.619-0.796 LC50 Fish Oncorhynchus mykiss 35mg/l 96 Hr flow-through 0.619-0.796
0.1-1 %	ISOBORNYL ACETATE	CAS: 125-12-2 - EINECS: 204-727-6	LC50 Fish Brachydanio rerio 10.0mg/l 96 Hr static 10.0-18.0
0.1-1 %	BUTYL PHENYL METHYL PROPIONAL	CAS: 80-54-6 - EINECS: 201-289-8	EC50 Daphnia Daphnia magna 10.7mg/l 48 Hr LC50 Fish Brachydanio rerio 2.2mg/l 96 Hr static 2.2-4.6
0.1-1 %	CITRAL	CAS: 5392-40-5 - EINECS: 226-394-6 - 67-548-EC: 605-019-00-3	EC50 Daphnia Daphnia magna 7mg/l 48 Hr EC50 Alga Desmodesmus subspicatus 16mg/l 72H

13. Disposal Consideration

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

14. Transportation

Road (DOT):

DOT UN Number: N/A
DOT Hazard Class: N/A
DOT Packaging Group (PG): N/A
DOT Label(s): N/A
DOT Symbol: N/A
DOT Proper Shipping Name: N/A
DOT Cargo Aircraft: N/A
DOT Passenger Aircraft: N/A
DOT Bulk: N/A
DOT Non-Bulk: N/A

IATA (Air):

IATA-Class: 9
IATA-Un number: 3082
IATA-Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(ACETYL CEDRENE - BHT ; BUTYLATED HYDROXYTOLUENE)
IATA-Passenger Aircraft: 964
IATA-Cargo Aircraft: 615
IATA-Label: 9
IATA-Packing group: III

Sea (IMDG):

IMDG-Un number: 3082
IMDG-Class: 9
IMDG-Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(ACETYL CEDRENE - BHT ; BUTYLATED HYDROXYTOLUENE)
IMDG-Packing group: III
IMDG-Page: N/A
IMDG-Label: 9
IMDG-EMS: F-A, S-F
IMDG-MFAG: N/A
Marine pollutant: Yes
Toxic Component most present: ACETYL CEDRENE
Toxic Ingredients Qty: 12.45
High Toxicity Ingredients Qty: 7.79

15. Regulatory Information

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

CERCLA Reportable Quantity (Lbs): No CERCLA Reportable Components Present.

TSCA (Toxic Substances Control Act):

This material contains substances listed under the following TSCA sections:
8B, 8A, 8D

California Proposition 65:

This product does not contain any reproductive toxicant and/or California Proposition 65 regulated substances

SARA 313:

This product does not contain any SARA313 regulated ingredients

16. Other Information

Main bibliographic sources:

LOLI database by ChemAdvisor.

The Information in this MSDS was obtained from current and reputable sources. However, the data is provided without warranty, express or implied, regarding its accuracy. It is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.